

Date Issued: 07/17/2019 **SDS No**: OBar - Delta 99C

Q-Bar Solder Bar - Delta 99C (Sn/Cu/Ni/Ge)

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Q-Bar Solder Bar - Delta 99C (Sn/Cu/Ni/Ge)

PRODUCT DESCRIPTION: Lead Free Solder Bar

MANUFACTURER

24 HR. EMERGENCY TELEPHONE NUMBERS

Qualitek International, Inc. 1-800-535-5053 Infotrac

315 Fairbank St. 1-352-323-3500 Outside the U.S. Addison, IL 60101

Emergency Phone: (800) 535-5053 **Customer Service:** (630) 628-8083

2. HAZARDS IDENTIFICATION

GHS LABEL

PRECAUTIONARY STATEMENT(S)

Prevention:

P264: Wash hands thoroughly after handling.

Storage:

P402: Store in a dry place.

Disposal:

P501: Dispose of contents/container in accordance to local/regional/national/international regulations.

POTENTIAL HEALTH EFFECTS

EYES: Fumes from this and other soldering products may cause eye irritation.

SKIN: Fumes from this and other soldering products may cause skin irritation.

INGESTION: Ingestion of this or other soldering products may cause headache, nausea, and muscular pain.

INHALATION: Inhalation of the fumes from this or other soldering products may cause headache, nausea and muscular pain.

CARCINOGENICITY: Not listed as a carcinogen by NTP, OSHA, or ACGIH.

MEDICAL CONDITIONS AGGRAVATED: Pre-existing conditions of the lungs, kidneys, nervous system and possibly reproductive systems; diseases of the blood forming organs

ROUTES OF ENTRY: Inhalation, ingestion, eye or skin contact.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Tin	99.3 - 99.7	7440-31-5
Copper	0.6 - 0.7	7440-50-8



Date Issued: 07/17/2019 **SDS No**: OBar - Delta 99C

Q-Bar Solder Bar - Delta 99C (Sn/Cu/Ni/Ge)

Nickel	0.04 - 0.07	7440-02-0
Germanium	0.006 - 0.007	7440-56-4

4. FIRST AID MEASURES

EYES: MOLTEN PRODUCT: Cool burns with plenty of low-pressure water. Get immediate medical attention. SOLID PRODUCT: Remove any contact lenses. Immediately flush eyes with large quantities of water for at least 15 minutes. Get medical attention if irritation develops.

SKIN: MOLTEN PRODUCT: Immediately cool skin burns with water and cold packs for at least 15 minutes. Do not put ice directly on the skin. Do not attempt to remove solidified product from the skin, as damage may result. Get immediate medical attention. SOLID PRODUCT: Immediately wash skin with soap and copious amounts of water. Use lotion to prevent dryness. Get medical attention if irritation develops.

INGESTION: If person is conscious, immediately give 2 glasses of water. Do not induce vomiting. Get immediate medical attention.

INHALATION: If symptoms of overexposure are experienced, evacuate to fresh air. If symptoms persist, seek medical attention.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

SKIN: Discomfort or rash.

INHALATION: Irritation of the pulmonary system.

CHRONIC EFFECTS: Prolonged or repeated exposure due to ingestion may cause anemia, insomnia, weakness, constipation and abdominal pain. Prolonged or repeated exposure due to skin exposure and inhalation may cause skin rash and damage to the mucous membranes.

COMMENTS: If victims of chemical over-exposure are taken for medical attention, give a copy of the label or this SDS to the physician/health care professional.

5. FIRE FIGHTING MEASURES

EXPLOSION HAZARDS: None known.

FIRE FIGHTING EQUIPMENT: Self contained breathing apparatus with full face piece operated in positive pressure demand mode, appropriate turn-out gear and chemical resistant personal protective equipment is recommended.

6. ACCIDENTAL RELEASE MEASURES

GENERAL PROCEDURES: If the material is in its solid state, pick up and reuse. When molten, allow to solidify, and then reuse if it is not contaminated. If contaminated, refer to Section 13 for proper disposal procedures.

RELEASE NOTES: Avoid repeated or prolonged breathing or skin contact. Wash hands immediately, and remove material from under the fingernails.

7. HANDLING AND STORAGE



Date Issued: 07/17/2019 **SDS No**: QBar - Delta 99C

Q-Bar Solder Bar - Delta 99C (Sn/Cu/Ni/Ge)

GENERAL PROCEDURES: Do not store or use near sparks or open flames. Keep containers tightly closed and upright when not in use in order to prevent leakage.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)						
	EXPOSURE LIMITS					
Chemical Name	Туре		ppm	mg/m³		
Tin	OSHA PEL	TWA	NL ppm [1]	2.00 mg/m3 [1]		
		STEL	NL ppm	NL mg/m3		
	ACGIH TLV	TWA	NL ppm	2.00 mg/m3		
		STEL	NL ppm	NL mg/m3		
	Supplier OEL	TWA	NL ppm	NL mg/m3		
		STEL	NL ppm	NL mg/m3		
Copper	OCH A DEL	TWA	NL ppm [1]	0.20 mg/m3 [1]		
	OSHA PEL ST		NL ppm	NL mg/m3		
	ACGIH TLV —	TWA	NL ppm	0.20 mg/m3		
		STEL	NL ppm	NL mg/m3		
	Supplier OEL —	TWA	NL ppm	NL mg/m3		
		STEL	NL ppm	NL mg/m3		

Footnotes:

1. NL = Not Listed

ENGINEERING CONTROLS: General (mechanical) room ventilation is expected to be satisfactory where this product is stored and handled and in closed equipment. Special local ventilation is needed at points where vapors can be expected to escape into the workplace air.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses

SKIN: Rubber, chemical resistant gloves.

RESPIRATORY: None necessary under normal conditions (adequate ventilation). If necessary, use NIOSH approved respiratory protection. Recommended local exhaust. Exhaust systems should be designed to move the air away from the source of vapor/aerosol generation.

PROTECTIVE CLOTHING: Protective clothing and safety shoes as necessary to minimize contact.



Date Issued: 07/17/2019 **SDS No**: OBar - Delta 99C

Q-Bar Solder Bar - Delta 99C (Sn/Cu/Ni/Ge)

OTHER USE PRECAUTIONS: Eye wash station should be easily accessible.

9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Mild

APPEARANCE: Solid bar.

COLOR: Metallic gray

FLASH POINT AND METHOD: N/A

FLAMMABLE LIMITS: N/A

AUTOIGNITION TEMPERATURE: N/A

VAPOR PRESSURE: Not Determined VAPOR DENSITY: Not Applicable BOILING POINT: > 1650°C (3000°F) MELTING POINT: 227°C (440.6°F)

SOLUBILITY IN WATER: Insoluble

DENSITY: 7.4 g/cm3

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Will not occur.

STABILITY: Stable under ordinary use and storage conditions. **HAZARDOUS DECOMPOSITION PRODUCTS:** None known.

INCOMPATIBLE MATERIALS: Strong acids and strong oxidizers should be avoided..

11. TOXICOLOGICAL INFORMATION

GENERAL COMMENTS: No toxicological information available at this time.

12. ECOLOGICAL INFORMATION

GENERAL COMMENTS: No information on ecological toxicity or biodegradability is available at this time.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of this material, contaminated absorbent material and other contaminated materials in an approved waste disposal facility, according to all applicable Federal, State, and Local regulations. Recovery and reuse, rather than disposal, should be the ultimate goal in handling efforts.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Not regulated by DOT



Date Issued: 07/17/2019 **SDS No**: OBar - Delta 99C

Q-Bar Solder Bar - Delta 99C (Sn/Cu/Ni/Ge)

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HEALTH HAZARDS: Chronic health hazard.

313 REPORTABLE INGREDIENTS: Copper CAS# 7440-50-8 (weight percentage can be determined from product label)

EPCRA SECTION 313 SUPPLIER NOTIFICATION

Chemical Name	Wt.%	CAS
Copper	0.6 - 0.7	7440-50-8

TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
Copper	7440-50-8

TSCA STATUS: All ingredients are listed or are exempt from listing (as polymers) on the Toxic Substances Control Act (TSCA) Chemical Substance Inventory.


16. OTHER INFORMATION

APPROVED BY: P. Han **TITLE:** Technical Director

PREPARED BY: J. Saleda-Layton **Date Prepared:** 07/17/2019

INFORMATION CONTACT: (630) 628-8083

HMIS RATING



MANUFACTURER DISCLAIMER: The information contained herein is based upon data considered to be accurate and is offered solely for information, customer consideration and investigation. The manufacturer extends no warranties, makes no representations and assumes no responsibility as to the accuracy, completeness or suitability of this data for any purchaser's use. The content of this Safety Data Sheet relates only to this product as sold and does not relate to use with any other material or in any process. All chemical products should be used only by, or under, the direction of technically qualified personnel, who are aware of the hazards involved and of the necessity for reasonable care in handling. Hazard communication regulations, United States Occupational Health and Safety (OSHA) and Canadian Workplace Hazardous Materials Information System (WHMIS) require that employees must be trained in the use of Safety Data Sheets as a source of hazards information and response.